BIBLIOGRAPHY

1. Ajesh, TP., Abdulla Naseef, S.A. and Kumutha kalavalli, R. (2012). Ethnobotanical documentation of wild edible fruits used by *Muthuvan* Tribes of Idukki, Kerala- India. International Journal of Pharma Bio Sciences, 3(3): 479 – 487.
2. Arun vijayan, Liju, VB., Reena John. and Parthipan, B., Renuka, C. (2007). Traditional remedies of Kani tribes of kottor reserve forest, Agasthyavannam, Thiruvanathapuram, Kerala. Indian Journal of traditional knowledge, 6 (4):589-594.
3. Asha, VV., Pushpangadan, P. (2002). Hepatoprotective Plants used by the tribals of Wynadu, Malappuram and Palghat Districts of Kerala, India. Ancient science of life, 22 (1):1-8.
4. Bennett, B.C., Prance, G.T. (2000). Introduced plants in the indigenous pharmacopoeia of northern South America. Economic Botany, 54: 90–102.
5. Binu Thomas., Rajendran, A. (2013). Less Known Ethnomedicinal Plants Used by Kurichar Tribe of Wayanad District, Southern Western Ghats Kerala, India. Botany Research International, 6 (2): 32-35.
6. Chinchu Krishna, M., Binu Thomas. (2015). Ethno-Botanical Observations on Tribe *Muthuvas* in Machiplavu Area of Adimali Region, Idukki District, Kerala, India International journal of Pharmacotherapy, 5(2): 95-100.
7. Chaitanya M. V. N. L., Dhanabal S. and Rajendran, P., Rajan,S. (2013). Pharmaco dynamic and ethnomedicinal uses of weed species in nilgiris, Tamilnadu State, India, A review. African journal agricultural research, 8(27): 3505-3527.
8. Dileep, P., Geetha nair, G. (2015).Taxonomic and ethnobotanical studies of grasses used by tribals of Wayanad district, Kerala south-western ghats of India. Journal of global biosciences, 4(5): 2212-2235.
9. Devi Prasad A.G., Shyma, T.B. (2013). Medicinal plants used by the tribes of Vythiri taluk, Wayanad district (Kerala state) for the treatment of human and domestic animal ailments. Journal of medicinal plants research, 7(20): 1439-1451.

10. Deepthy, R., Remashree, A.B. (2014). Ethanobotanical Studies on Medicinal Plants Used For Skin Diseases in Malabar Region of Kerala. International Journal of Herbal Medicine. 2 (1): 92-99.
11. Ezhilvalavan, R., Mayilsamy, M. and Rajendran, A. (2015). Ethnoveterinary practices among the indigenous peoples of palani hills in southern Western Ghats, India. International journal of science innovations and discoveries, 5:14-22.
12. Friedmen, J., Yaniv, Z., Dafni, A. and Palewitch, D. (1986). A preliminary classification of the healing potential of medicinal plants, based on a rational analysis of an ethno pharmacological field survey among Bedouins in the Negev desert, Israel. Journal of Ethnopharmacology, 16:275–287.
13. Gamble J., Fischer, C.E.C. (1987). Flora of Presidency of Madras (I-III Vol.) Bishen Singh and Mahendra Singh, Dehradun.
14. Heinrich, M., Ankli, A., Frei, B. and Weimann, C., Sticher, O. (1998). Medicinal plants in México: healers consensus and cultural importance. Social science and medicine, 47(11): 1859-1871.
15. http://unexploredplacesinkerala.blogspot.in/2013/07/choolanur-peacock-sanctuary .html
16. https://en.wikivoyage.org/wiki/Chulanur_Peafowl_Sanctuary
17. https://www.tcd.ie/Botany/tercentenary/origins/carl-linnaeus.php
18. http://archaeobotany.dept.shef.ac.uk/wiki/index.php/Ethnobotany-Introduction
19. Jain, S.K. (1995), A manual of Ethnobotany, 2nd edn. Scientific publishers, Jodhpur, India.
20. Jain, S.K., Rao, R.R. (1967). A handbook of field and herbarium methods, Today and Tomorrow Printers and Polishers, New Delhi, 33-58.
21. Josef d e Beer, Ben-Erik van Wyk. (2011). Doing an ethnobotanical survey in the life sciences classroom. The American biology teacher, 73(2):90-97.
22. Jomy Augustine., Sreejesh, K.R. and Bijeshman, P.P. (2010). Ethnogynecological uses of plants prevalent among the tribes of periyar tiger reserve, Western Ghats. Indian journal of traditional knowledge, 9 (1):73-76.

23. Jayanthi, P., Aravindhan, V. and Rajendran. (2012). A, phytotherapeutic plants of madukkarai hills in the southern Western Ghats of Coimbatore District, Tamil Nadu, India. International journal of ayurvedic and herbal medicine, 2(5):807-906.
24. Mohd Naeem, M.N., Mohd Fairulnizal, MN. and Norhayati, MK., Zaiton, A., Norliza, A.H., Wan Syuriahti, WZ., Mohd Azerulazree, J., Aswir, AR., Rusidah, S. (2015). The nutritional composition of fruit jams in the Malaysian market. Journal of the Saudi Society of Agricultural Sciences.1-8.
25. Muthuswamy Ragunathan, Mequente Solomon. (2009).The study of spiritual remedies in orthodox rural churches and traditional medicinal practice in Gondar Zuria district, Northwestern Ethiopia. Pharmacognosy journal, 1 (3):178-183.
26. Muthuswamy Ragunathan, Hawi tadesse. and Rebecca tujuba. (2010). A cross-sectional study on the perceptions and practices of modern and traditional health practitioners about traditional medicine in Dembia district, north western Ethiopia Pharmacognosy Magazine, 6(21):19-25.
27. Muhammed Nizar K., Gopakumar, S. and Vikas Kumar, R. Ajeesh. (2015). Indigenous Ethnomedicines and Victuals of Malayans: An Indigenous Population of Peechi-Vazhani Wildlife Sanctuary, Western Ghats, India. Indian Journal of Ecology, 42(1): 9-15.
28. Phillips, O., Gentry, A.H., Reynel, C. and Wilkin, P., Galvez-Durand, B.C. (1994). Quantitative ethnobotany and Amazonian conservation. Conserv.Biol. 8: 225–248.
29. Pius, O.L., Sujanapal, P. and Udayan, PS. (2015). Observations on the medicinal plant diversity of Malappuram district of Kerala with special reference to folk and Indian systems of medicines, International journal of advanced research, 3 (2): 314-325.
30. Padmanabhan, P., Sujana, KA. (2008). Animal products in traditional medicine. Indian Journal of traditional knowledge. 7(2): 326- 329.
31. Palanisamy Murugesan, Ganesan Raja. and Suresh Kumar Marx, Bommannan Panneer selvam. (2011). Ethnobotanical study of medicinal plants used by villagers in kolli hills of Namakkal district of tamilnadu, India, International journal of pharmaceutical sciences review and research, 10(1): 170-173.

32. Ragunathan Muthuswamy., Senthamarai, R. (2014). Pharmacognostical studies on the fruit of *Elaeocarpus oblongus* Gaertn, Pharmacognosy Journal, 6(3): 72-78.
33. Ramachandran V. S., Swarupanandan, K. and Sanjappa, M. (2014). Status and distribution of *Humboldtia bourdillonii* (Leguminosae), an endangered tree species of the Western Ghats, India, Tropical Ecology 55(1): 85-91.
34. Ratheesh Narayanan, MK., Mithunlal, S. and Sujanapal, P., Anil Kumar, N., Sivadasan M., Ahmed Alfarhan H, Alatar, AA. (2011a). ethnobotanically important trees and their uses by Kattunaikka tribe in Wayanad Wildlife Sanctuary, Kerala, India. Journal of Medicinal Plants Research, 5(4): 604-612.
35. Ratheesh Narayanan, MK., Anilkumar, N. and Balakrishnan, V., Sivadasan, M., Ahmed Alfarhan H., Alatar, AA. (2011b). Wild edible plants used by the Kattunaikka, Paniya and Kuruma tribes of Wayanad District, Kerala, India. Journal of Medicinal Plants Research, 5(15): 3520-3529.
36. Ranjith, NP., Ramachandran, VS. (2010). Ethno-medicine of Kurichyas, Kannur district, Wstern ghats, Kerala. Indian Journal of traditional knowledge, 4 (2): 159-163.
37. Ragunathan Muthuswamy, Hawi tadesse, and Rebecca tujuba. (2010). A cross-sectional study on perceptions and practices of modern and traditional health practitioners about traditional medicine in Dembia district, North Western Ethiopia. Pharmacognosy magazine, 6(21):19-25.
38. Shanavaskhan, A.E., Sivadasan, M. and Ahmed alfarhan, H., Jacob Thomas. (2012). Ethnomedicinal aspects of angiospermic epiphytes and paprasites of Kerala India Indian journal of traditional knowledge, 11(2): 250-258.
39. Srithi, K., Balslev, H., Wangpakapattanawong, P. and Srisanga, P., Trisonthi, C. (2009). Medicinal plant knowledge and its erosion among the Mien (Yao) in northern Thailand, Journal of Ethnopharmacology, 123, 335–342.
40. Silja, V.P., Samitha Varma, K. and Mohanan, KV. (2008).Ethnomedicianl plant knowledge of the Mullukuruma tribe of Wayanad district, Kerala. Indian Journal of traditional knowledge, 6 (4):589-594.

41. Sindhu, S., Manorama. (2014). Ethnobotanical, Phytochemical and *invitro* antioxidant activity of medicinal plant *Pimenta dioica* (l.) Merr. (Myrtaceae) from Attappadi, Palakkad district, Kerala, Research in Pharmacy, 4(1):01-07.
42. Sankaranarayanan, AS. (1988). Folklore medicine for jaundice from Coimbatore and palghat districts of Tamilnadu and Kerala, India. Ancient Science of Life, 7 (3, 4):175-179.
43. Sajeev, K.K., Sasidharan, N. (1997). Ethnobotanical observation on the tribals of Chinnar wildlife sanctuary. Ancient Science of life 16 (4): 284-292.
44. Smitha Kumar, P., Abdul Latheef, K. and Remashree, AB. (2014) Ethnobotanical survey of Diuretic and Antilithiatic medicinal plants used by the traditional practitioners of Palakkad District. International Journal of Herbal Medicine, 2 (2): 52-56.
45. Subramanyam Ragupathy, Newmaster G Steven. and Murugesan Maruthakkutti, Balasubramaniam Velusamy, Muneer M Ul-Huda. (2008).Consensus of the 'Malasars' traditional aboriginal knowledge of medicinal plants in the Velliangiri holy hills, India Journal of Ethnobiology and Ethnomedicine 4, (8):1-14.
46. Swapanath, N., Jotinkumar, CH., Bijaya Lakshmi Devi. and M., Sumarjit Singh., Brojendro Singh, S., Singh, C. B. (2012). Total phenolic, total flavonoid contents and Antioxidant activity of a few indigenous fruits grown in Manipur. The Bioscan 7(1): 73-76.
47. Thangaraj Francis Xavier., Moorthy Kannan. and Leyone Lija., Anthonysamy Auxillia., Antony Kanthi Freeda Rose., Subburaman Senthilkumar. (2014). Ethno botanical study of Kani tribes in Thodu hills of Kerala, South India. Journal of Ethnopharmacology, 152, 78–90.
48. Tripathi, Y. C., Pratibha Shukla. and Devesh Tewari. (2015). phytochemical evaluation and antihyperglycemic effects of *Elaeocarpus ganitrus* roxb (rudraksha) in streptozotocin induced diabetes International Journal of Pharmacy and Pharmaceutical Sciences, 7(1): 280-283.
49. Udayan, PS., Harinarayanan, MK. and Tushar, KV., Indira balachandran. (2008). Some common plants used by Kurichaiar tribes of Tirunelli forest, Wayanad District,

Kerala in medicine and other traditional uses. Indian journal of traditional knowledge, 7 (2): 250-255.

50. Udayan PS., Satheesh George. and Tushar, KV., Indira Balachandran. (2007). Ethnomedicine of Malapandaram tribes, Achenkovil forest of kollam district, Kerala. Indian journal of traditional knowledge, 6 (4): 569-573.
51. Udayan, PS., Satheesh George. and Tushar, KV., Indira Balachandran. (2005). Medicianl plants used by the Kaadar tribes of Sholayar forest, Thrissur District, Kerala. Indian Journal of traditional knowledge, 4 (2): 159-163.
52. Yesodharan, K., Sujana, K.A. (2007a). Ethnomedicianl knowledge among Malamalasar tribe of Parambikulam wildlife sanctuary, Kerala. Indian Journal of traditional knowledge, 6 (3): 481-485.
53. Yesodharan, K., Sujana, KA. (2007b).Wild edible plants traditionally used by the tribes in the Parambikulam wild life sanctuary, Kerala, India. Natural product Radiance, 6 (1): 74-80.